

Sheer Driving Pleasure

# THE Z4


# THE BMW Z4.



# DISCOVER MORE DIGITALLY: THE NEW BMW BROCHURE APP.

More information, more driving pleasure: The new BMW brochures app offers you a brand new digital and interactive BMW experience. Download the BMW brochures app for your smartphone or tablet now and explore new perspectives of your BMW.



















# RATIONALLY BREAKS EVERY RULE.



## STATEMENT OF INDEPENDENCE.





Expressive roadster design Wide front with continuous "clam shell" bonnet II Large double kidney grille in "mesh design" II Design for the adaptive LED headlights\* with vertically arranged tubes II Roll bars with integrated wind deflector\*. Dynamic appeal, comfortable equipment Instrument panel in Sensatec\* II Clearly defined functional islands II Driver-oriented cockpit design. Performance, open to the top M sport differential\* II Adaptive M suspension\* II M Sport brake\* II Sporty handling through improved steering II Low centre of gravity. Next-level driver assistance and connectivity Display network consisting of information display and instrument cluster with 10.25"\* display II Innovative BMW Operating System 7.0\* II BMW Head-Up Display<sup>1,\*</sup>.

<sup>1</sup> The information in the BMW Head-Up Display is not fully visible when viewed through polarised sunglasses. Content shown will depend on the equipment options chosen. Further optional equipment is required for the display.

\* Available as optional equipment of required on the availability of some equipment features and functions depends on engine variants or additional options. The market and production availability may vary. You can find detailed information about terms, standard and optional equipment at www.bmw.com or from your BMW Partner.

# HIGHLIGHTS.

### Standard equipment Optional equipment




Discover more with the new BMW catalogue app. Now available for your smartphone and tablet.

□ The basic configuration of the BMW Z4 sDrive20i consists of the optional Glaciersilber metallic paint finish and optional 18" light alloy wheels V-spoke style 770 in Ferric Grey with mixed tyres.



callipers with the M logo.



Sport transmission<sup>2</sup> allows very sporty gear changes both automatically and manually via shift paddles or gear selector lever.



□ M Sports seats<sup>2,\*</sup> with integrated headrests, deep seats, high side bolsters and flared upper side panels provide improved lateral support for driver and front passenger.





□ Harman Kardon Surround Sound System\* with 408-watt digital amplifier, seven channels, vehicle-specific equalizing and twelve loudspeakers.





Adaptive LED headlights\* with full LED technology include integrated turn indicators, low beam headlights, high beam headlights, as well as daytime running lights for safety and optimal illumination of the road. The glare-free High-beam assistant and Adaptive Headlights with variable light control significantly improve visibility in the dark for more relaxed driving almost like during the day.



□ Ambient light creates a relaxed, cosy lighting atmosphere in the interior. There are eleven predefined light designs available in six different colours, with contour and ambient lighting on the instrument panel, door trim and centre console



□ The BMW Z4 sDrive30i with the M Sport package in Misano Blue metallic and optional 19" M light alloy wheels Double-spoke style 799 M in Bicolour Jet Black, gloss-lathed, with mixed tyres.





Concierge Service, Remote Services, Real Time Traffic Information, Apple CarPlay® preparation or perhaps In-Car Experiences? Why order individual options when you can have everything together? With the Connected Package Professional<sup>3,\*</sup>, you can enjoy these services from BMW ConnectedDrive as well as free additional services to test.

<sup>1</sup> Only available in conjunction with M Sport package.
<sup>2</sup> Standard for M40i.

<sup>3</sup> Apple CarPlay® compatibility and supported functions depend on the model year and the software installed on the iPhone®. When the Apple CarPlay® preparation is in use, selected vehicle data is transferred to the phone. The mobile phone manufacturer is responsible for any further processing of the data.



□ The safety package Driving Assistant<sup>4, \*</sup> includes the camera-based systems front collision warning with braking function, Speed Limit Assist incl. Speed Limit Info with No-overtaking indicator with preview and Lane Departure Warning. Additionally, the radar-based equipment includes Crossing traffic warning rear, Lane Change Warning and Rear collision warning.

<sup>4</sup> Function may be limited in darkness, fog or bright glare.
<sup>5</sup> The information in the BMW Head-Up Display is not fully visible when viewed through polarised sunglasses. Content shown will depend on the equipment options chosen.

Further optional equipment is required for the display.



□ The 10 millimetre lowered Adaptive M suspension<sup>2</sup> can be electrically adjusted at any time to suit the road and driving conditions. Drivers can also adjust the suspension characteristics via the Driving Experience Control to enable their preferred driving style at the time - from comfortable to extremely athletic with markedly agile handling.

\* The availability of some equipment features and functions depends on engine variants or additional options. The market and production availability may vary. You can find

detailed information about terms, standard and optional equipment at www.bmw.com

or from your BMW Partner.



□ The BMW Live Cockpit Professional with navigation function includes two high-quality displays consisting of a high-resolution 10.25" Control Display that can be operated by touch and a fully digital instrument display of the same size."

Some ConnectedDrive Services may differ between countries. Please consult your local BMW partner for more information.

The Standard and Optional equipment may differ between countries. Please consult your local BMW partner for more information.

# EXTERIOR COLOUR WORLD.


### Discover more with the new BMW catalogue app. Now available for your smartphone and tablet.

Standard equipment D Optional equipment

Equipment 20 | 21



### **BMW INDIVIDUAL**



BMW Individual C37 Frozen Grey metallic<sup>2</sup>



### **M SPORT PACKAGE**



□ Metallic C1D Misano Blue<sup>2</sup>

[Colour samples] These colour samples are intended as an initial guide to the colours and materials available for your BMW. However, experience has shown that printed versions of paint, upholstery and interior trim colours cannot in all cases faithfully reproduce the appearance of the original colour. Please discuss your preferred colour choices with your BMW partner or in your dealership. There you can also see original samples and be assisted with special requests.


<sup>1</sup> Optionally available with the M Sport package and M40i. <sup>2</sup> Exclusively available for the M Sport package and M40i.

# INTERIOR COLOURS.

### Discover more with the new BMW catalogue app. Now available for your smartphone and tablet.

Standard equipment D Optional equipment

Equipment 22 | 23



### CLOTH/LEATHER COMBINATION Available with

M Sport package

Leather 'Vernasca'/ Alcantara combination HCNL Black, contrast stitching Blue

Available with

LEATHER

Sport Line
 M Sport package

Leather 'Vernasca' MAEY Ivory White decor stitching, interior colour Black



stitching, interior colour Black

Sport Line
 M Sport package

Sport Line M Sport package


Leather 'Vernasca' MAPQ Cognac decor stitching, interior colour Black

Leather 'Vernasca' MAKN Magma Red decor stitching, interior colour Black

Base

Leather 'Vernasca' MASW Black, interior colour Black<sup>2</sup>





# WHEELS AND TYRES.

# ORIGINAL BMW ACCESSORIES.

### Standard equipment O Accessories






Discover more with the new BMW catalogue app. Now available for your smartphone and tablet.

■ 17" light alloy wheels V-spoke □ 18" light alloy wheels V-spoke style 768 in Reflex Silver with style 770 in Ferric Grey with mixed tyres and runflat tyres, front mixed tyres, front wheel size wheel size 7.5J x 17, 225/50 R17 8J x 18, 225/45 ZR18 tyres, tyres, rear wheel size 8.5J x 17, rear wheel size 9J x 18, 255/40 255/45 R17 tyres.<sup>1</sup> ZR18 tyres.<sup>1</sup>

■ 18" alloy wheels V-spoke style 770 in Bicolour Orbit Grey with mixed tyres, burnished, front wheel size 8J x 18, 225/45 ZR18

tyres, rear wheel size 9J x 18,

255/40 ZR18 tyres.1,3



■ 18" M light alloy wheels Double-spoke style 798 M in Bicolour Ferric Grey with mixed tyres, burnished, front wheel size 8J x 18, 225/45 ZR18 tyres, rear wheel size 9J x 18, 255/40 ZR18 tyres.<sup>1,6</sup>



O High-quality 17" BMW light alloy wheels V-spoke style 768 in Ferric Grey with mixed tyres and runflat tyres. TPMS winter complete wheels, wheel size front 7.5J x 17 with 225/50 R17 tyres, wheel size rear 8J x 17 with 225/50 R17 tyres.



O High-quality 18" BMW light alloy wheels Double-spoke style 798 M in Orbit Grey with mixed tyres. TPMS winter complete wheels, wheel size front 8.5J x 18 with 255/40 R18 tyres, wheel size rear 9J x 18 with 255/40 R18 tyres.



□ 18" M alloy wheels Double-spoke style 798 M in Bicolour Orbit Grey with mixed tyres, burnished, front wheel size 9J x 18, 255/40 ZR18 tyres, rear wheel size 10J x 18, 275/40 ZR18 tyres.<sup>2,6</sup>



275/35 ZR19 tyres.1,3



□ 19" light alloy wheels V-spoke □ 19" M light alloy wheels style 772 in Bicolour Ferric Grey Double-spoke style 799 M in with mixed tyres, burnished, front Bicolour jet black with mixed tyres, burnished, front wheel wheel size 9J x 19, 255/35 ZR19 tyres, rear wheel size 10J x 19, size 9J x 19, 255/35 ZR19 tyres, rear wheel size 10J x 19, 275/35 ZR19 tyres.4



O The floating hub cap consists of the BMW logo that no longer turns with the wheel but instead remains level. The hub cap can be mounted to all BMW light alloy wheels with a pitch circle diameter of 112 mm.



O The high-quality BMW valve caps from aluminium protect TPMS aluminium valves effectively from dirt and moisture. At the same time, they enhance the appearance of the tyre. With BMW logo.



19" M light alloy wheels Double-spoke style 800 M in Bicolour Cerium Grey matt with mixed tyres, burnished, front wheel size 9J x 19, 255/35 ZR19 tyres, rear wheel size 10J x 19, 275/35 ZR19 tyres.5



□ 19" M alloy wheels Double.-spoke style 799 M in jet black uni with mixed tyres, front wheel size 9J x 19, 255/35 ZR19 tyres, rear wheel size 10J x 19, 275/35 ZR19 tyres.4



O The perfectly fitted, durable BMW all-weather floor mats with a raised border and elegant design protect the footwell against moisture and dirt. They are black and feature a black-silver Z4 inlay.



O The BMW wireless charging cover enables inductive charging of the Apple iPhone™ 7 Plus. This innovative mobile phone case is compatible with all Qi certified chargers and also serves as a protective cover.

Not available for M40i. Standard for M40i <sup>3</sup> Only available in conjunction with Sport Line. <sup>4</sup> Only available in conjunction with M Sport package or for M40i. <sup>5</sup> Not available for M40i. <sup>6</sup> Only available in conjunction with M Sport package.

Discover the wide range of innovative solutions available for the exterior and interior, communication and information, and for transportation and the luggage compartment. Your BMW Partner is on hand to advise you on the whole range of Original BMW Accessories. For further information, please visit www.bmw.com


The Standard and Optional equipment may differ between countries. Please consult your local BMW partner for more information.


# TECHNICAL DATA.


BMW Z4	sDrive20i	sDrive30i	M40i
Weight			
Unladen weight EU <sup>1</sup> kg	1480 [1495]	[1505]	[1610]
Maximum permissible weight kg	1725 [1740]	[1740]	[1860]
Permitted load kg	320 [320]	[310]	[325]
Luggage capacity I	281	281	281
Engine <sup>2</sup>			
Cylinders/valves	4/4	4/4	6/4
Capacity cc	1998	1998	2998
Max. output/engine speed kW (hp)/rpm	145 (197)/4500-6500	190 (258)/5000-6500	250 (340)/5000-6500
Max. torque/engine speed Nm/rpm	320/1450-4200	400/1550-4400	500/1600-4500
Power transmission			
Type of drive	Rear-wheel	Rear-wheel	Rear-wheel
Standard transmission	6-speed manual	8-speed Steptronic Sport	8-speed Steptronic Sport
Performance			
Performance Top speed km/h	241 [240]	[250]4	[250]4
	241 [240] 6.8 [6.6]	[250] <sup>4</sup> [5.4]	[250] <sup>4</sup> [4.5]
Top speed km/h	6.8 [6.6]		
Top speed km/h Acceleration 0–100 km/h s Consumption <sup>2,3</sup> – All engines conform to the EU6 standard	6.8 [6.6]		
Top speed km/h Acceleration 0–100 km/h s Consumption <sup>2,3</sup> – All engines conform to the EU6 standard Urban l/100 km	6.8 [6.6]	[5.4]	[4.5]
Top speed     km/h       Acceleration 0–100 km/h     s       Consumption <sup>2,3</sup> – All engines conform to the EU6 standard       Urban     l/100 km       Extra-urban     l/100 km	6.8 [6.6] 9.2 [7.3]	[5.4]	[4.5]
Top speed     km/h       Acceleration 0–100 km/h     s       Consumption <sup>2,3</sup> – All engines conform to the EU6 standard       Urban     l/100 km       Extra-urban     l/100 km	6.8 [6.6] 9.2 [7.3] 5.4-5.5 [5.2-5.4]	[5.4] [7.3-7.4] [5.2-5.4]	[4.5] [9.2] [5.9–6.3]
Top speed     km/h       Acceleration 0–100 km/h     s       Consumption <sup>2,3</sup> – All engines conform to the EU6 standard       Urban     l/100 km       Extra-urban     l/100 km       Combined     l/100 km	6.8 [6.6] 9.2 [7.3] 5.4-5.5 [5.2-5.4] 6.8-6.9 [6.0-6.1]	[5.4] [7.3-7.4] [5.2-5.4] [6.0-6.1]	[4.5] [9.2] [5.9–6.3] [7.1–7.4]
Top speed     km/h       Acceleration 0–100 km/h     s       Consumption <sup>2,3</sup> – All engines conform to the EU6 standard       Urban     l/100 km       Extra-urban     l/100 km       Combined     l/100 km       Exhaust emissions standard (type-certified)	6.8 [6.6] 9.2 [7.3] 5.4-5.5 [5.2-5.4] 6.8-6.9 [6.0-6.1] EU6d-temp	[5.4] [7.3-7.4] [5.2-5.4] [6.0-6.1] EU6d-temp	[4.5] [9.2] [5.9–6.3] [7.1–7.4] EU6d-temp
Top speed     km/h       Acceleration 0–100 km/h     s       Consumption <sup>2,3</sup> – All engines conform to the EU6 standard       Urban     l/100 km       Extra-urban     l/100 km       Combined     l/100 km       Exhaust emissions standard (type-certified)       Combined CO <sub>2</sub> emissions     g/km	6.8 [6.6] 9.2 [7.3] 5.4-5.5 [5.2-5.4] 6.8-6.9 [6.0-6.1] EU6d-temp 155-157 [136-139]	[5.4] [5.4] [5.2-5.4] [6.0-6.1] EU6d-temp [136-139]	[4.5] [9.2] [5.9–6.3] [7.1–7.4] EU6d-temp [162–168]
Top speed     km/h       Acceleration 0–100 km/h     s       Consumption <sup>2,3</sup> – All engines conform to the EU6 standard       Urban     l/100 km       Extra-urban     l/100 km       Combined     l/100 km       Exhaust emissions standard (type-certified)       Combined CO <sub>2</sub> emissions     g/km       Tank capacity, approx.     I	6.8 [6.6] 9.2 [7.3] 5.4-5.5 [5.2-5.4] 6.8-6.9 [6.0-6.1] EU6d-temp 155-157 [136-139]	[5.4] [5.4] [5.2-5.4] [6.0-6.1] EU6d-temp [136-139]	[4.5] [9.2] [5.9–6.3] [7.1–7.4] EU6d-temp [162–168]
Top speed     km/h       Acceleration 0–100 km/h     s       Consumption <sup>2,3</sup> – All engines conform to the EU6 standard     Urban       Urban     l/100 km       Extra-urban     l/100 km       Combined     l/100 km       Exhaust emissions standard (type-certified)       Combined CO <sub>2</sub> emissions     g/km       Tank capacity, approx.     I	6.8 [6.6] 9.2 [7.3] 5.4-5.5 [5.2-5.4] 6.8-6.9 [6.0-6.1] EU6d-temp 155-157 [136-139] 52 225/50 R17 94W	[5.4] [5.2-5.4] [5.2-5.4] [6.0-6.1] EU6d-temp [136-139] 52 225/50 R17 94W	[4.5] [9.2] [5.9-6.3] [7.1-7.4] EU6d-temp [162-168] 52 255/40 ZR18 95Y

The figures for performance, fuel consumption and CO<sub>2</sub> emissions refer to vehicles with standard transmission. Figures in [] are for vehicles with Steptronic transmission.

<sup>1</sup> The EC unladen weight refers to a vehicle with standard equipment and does not include any optional extras. The unladen weight includes a 90% full tank and a driver weight of 75 kg. Optional equipment may affect the weight of the vehicle, the payload and the top speed if the selected equipment has an impact on the vehicle's aerodynamics.
 <sup>2</sup> Performance data of petrol engines apply to vehicles using RON 98 fuel. Fuel consumption data apply to vehicles using reference fuels in accordance with EU Regulation 2007/715. Unleaded RON 91 and higher with a maximum ethanol content of 10% (E10) may also be used. BMW recommends RON 95 super unleaded petrol.
 <sup>3</sup> The data for fuel consumption, CO<sub>2</sub> emissions and energy consumption were determined in accordance with the measurements processes as defined by European Regulation (EU) 2007/715 in the applicable version. Data refer to a vehicle with base-level equipment in Germany, and the ranges account for differences according to the selected wheel and the optional equipment and may change during the configuration process. Figures have been determined on the basis of the new WLTP test cycle and have been converted back into NEDC figures for comparability. For these vehicles, values other than those specified here may apply for the assessment of taxes and other vehicle-related charges that are (also) based on CO<sub>2</sub> emissions.]
 <sup>4</sup> Electronically limited.







### BMW Z4 M40i:

M TwinPower Turbo inline 6-cylinder petrol engine, 250 kW (340 hp), 19" M light alloy wheels Double-spoke style 799 M Jet Black uni, exterior colour in San Francisco Red metallic, M Sport seats in leather Vernasca Ivory White with decor stitching, interior trim finishers Aluminium 'Mesheffect', instrument panel in Sensatec, BMW Individual high-gloss Shadow Line with extended contents.

The models illustrated in this brochure show the equipment and configuration options (standard and optional) for vehicles produced by BMW AG for the German market. Alterations in standard and optional equipment and the configurations available for the different models, as described in this brochure, may occur after 03/18/2019, the date when this brochure went to press, or according to the specific requirements of other markets. Your local BMW Partner is available to provide further details. Subject to change in design and equipment.

© BMW AG, Munich, Germany. Not to be reproduced wholly or in part without prior written permission of BMW AG, Munich.

411 004 262 20 2 2019 CB. Printed in Germany 2019.